NAUTICAL CHART ACTIVITIES IN THE U.S. ARMY CORPS OF ENGINEERS

NOAA Open House on Nautical Cartography 27 July 2018

Tony Niles

Headquarters, Directorate of Research and Development

441 G St, NW

Washington, DC





USACE NAVIGATION MISSION

Provide safe, reliable, efficient, effective and environmentally sustainable waterborne transportation systems for movement of commerce, national security needs, and recreation.

COASTAL NAVIGATION ASSETS

19 lock chambers13,000 miles of channels929 navigation structures844 bridges

INLAND NAVIGATION ASSETS

27 Inland River Systems207 lock chambers @ 171 lock sites12,000 miles of inland river channels











EXTENSIVE WATERWAY MAINTENANCE AND CONSTRUCTION ACTIVITIES

***** Resulting in timely and accurate chart data ****

56

Authorized Navigation Channel Projects

- High Use: > 10M tons
- Moderate Use: 1M to 10M tons
- Low Use: < 1M tons 938



Channel dredging averages 280M cubic yards per year





55 Inhouse Hydrographic Survey Vessels


US Army Corps of Engineers ®

U.S.ARNY

INLAND ELECTRONIC NAVIGATIONAL CHARTS (IENCS)



INLAND ENC COVERAGE IN USA



15 USACE Districts & US Army Geospatial Center









CHART DISCREPANCY REPORTING SYSTEM

https://ienc-report.usace.army.mil/







IENC CLOUD BACKGROUND



- Federal Geographic Data Committee (FGDC) issued an RFP in Dec, 2011 to sponsor pilot project with 10 Federal agencies to distribute their public data free for one year on Amazon Web Services (cloud), ending March, 2013. Named the Geocloud Program.
- IENC was chosen because of relatively small dataset and expertise with ArcGIS. Approval was given by CIO, USACE to distribute public navigation data on AWS
- https://www.ienccloud.us





IENC CLOUD BACKGROUND



- Advantages include
 - very high reliability of server performance
 - cost effective data hosting
 - scalable CPU availability
 - remote access for data updates
- ArcGIS Server 10.1
 - Over 6000 GIS layers uploaded
 - Clients
 - ArcMap, ArcGIS Explorer
 - ArcGIS JavaScript
 - Google Earth
 - ArcGIS.com



Experienced over 9 million downloads







INTERNATIONAL IENC STANDARDS AND DEVELOPMENT

- Non-Governmental International Organization recognized by IHO
- Organized to develop and to maintain a standard for IENCs world-wide
- Standard based on the existing standards of International Hydrographic Organization for 'maritime' ENCs (S-57)
- Currently working to align the S-401 IENC standard with the maritime S-101 standard



Members

Austria Belgium Brazil Bulgaria

China Czech Rep

France Germany

Hungary Italy **Netherlands** Peru

Poland Romania

Russia Serbia **United States**

South Korea

Venezuela





WHY AN "INLAND" STANDARD?

Examples of unique features found in waterways which are not found in maritime waters

Casino / Gaming Boats

- Fleeting Areas
- Ice Breakers
- Lock Guide Walls




Exceptional Navigation Structures (Lift bridges/viaducts)






CROWD-SOURCED FEATURE: SAILING LINE




INLAND CHART BOOKS – STILL PRODUCED AND AVAILABLE

 Compiled from Computer-Aided Design and Drafting files



"PRINT ON DEMAND" PAPER CHARTS GOVERNMENT PUBLISHING OFFICE (GPO)



A One-Stop-Shop for all USACE Paper Chart Books

- 20/22 Chart Books Available
 - 1 to be released in 2017
 - 1 to be released in 2018

Current production guidance


– EP 1130-2-520 NAVIGATION AND
DREDGING OPERATIONS AND
MAINTENANCE GUIDANCE AND
PROCEDURES

https://bookstore.gpo.gov/agency/1784





Navigation Channel Data Needs








eHydro Application and Reporting Process





eHydro Outputs

Surveys XYZ Points, Contour Lines, Shoaling Polys

Framework
Channel Geometry
& Stationing

eHydro

Channel Plots

| Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots | Channel Plots

Channel Availability Reports

Metadata

MINIMUM DEPTHS IN EACH

1/4 WIDTH OF CHANNEL

ENTERING EROM SEAWARD


ENTERING FROM SEAWARD		
LEFT OUTSIDE		RIGHT OUTSIDE
QUARTER	MIDDLE	QUARTER
(feet)	HALF (feet)	(feet)
35	40	40
38	42	34
36	38	39
38	37	38
35	32	30

Channel Condition Reports





eHydro Portal



Inland eHydro Channel Analysis




- AIS-generated sailing line plotted between shorelines
- critical navigation depth contour plotted from the survey
- Lines perpendicular to the sailing line, known as "fishbones", are plotted

- fishbones trimmed to 9' contour, and only longest continuous pieces of fishbones that intersect the sailing line are retained.
- shortest line, highlighted in this example 487', represents the most constrained section of channel.




CORPS SHOALING ANALYSIS TOOL

- Use historical survey data from eHydro and generate difference grid sets between dredging events
- Predict average shoaling rates and dredging requirements per channel reach
- Report volumes at different depth/time intervals and shoaling rates
- Efficiently process large spatial datasets
- Outputs to users: map, shoaling rate table





RIVER CONSTRUCTION NOTICE TO INDUSTRY



IENC OVERLAY: MISSISSIPPI RIVER (SOUTHWEST PASS)

- USACE survey data for SW Pass → updated weekly
- Overlay file, 3UASW000 overlays on NOAA ENCs (US4LA30M & US4LA33M)
- USACE Survey data for 3 other areas on the Lower MS River → updated monthly or as needed






Federal Agency Need:


Buoy Placement On Inland Waterways

USCG river tenders need latest conditions to place buoys




Sample Inland Survey Overlay from eHydro

IENC displayed in electronic chart system on Coast Guard river tender;



IENC OVERLAYS: USCG BUOY PLACEMENT DURING LOW WATER EVENT 2012


- USACE Survey data → USCG for rock pinnacle area on Upper Miss River near Grand Chain
- USCG Cutters used surveys to place buoys
- USCG → Excel file with Buoy Locations
- USACE created Buoy Overlay for USCG & Towing







Sample Coastal Survey Overlay from eHydro



IENC Overlays: Chart U37UM079 with Proposed Fleet & Low Water Buoy Overlay (3UAJCPAF)

